


MST 1031

**Analog tri-axial velocity sensor with
built-in amplifier.**



WALESCH Electronic GmbH
Gestenrietstrasse 2
CH-8307 Effretikon, Switzerland
Phone +41 52 343 80 80
Mail: info@walesch.ch
Web: www.walesch.ch

MST 1031

Analog tri-axial velocity sensor with built-in amplifier.

Specifications

Frequency range	1 – 315 Hz
Accuracy Class	Class 1 appropriately to DIN-standard DIN 45 669 edition Sep 2010
Measuring range 1	100 mm/s (Sensitivity 0.1 V/mm/s)
Measuring range 2	10 mm/s (Sensitivity 1.0 V/mm/s)
Measuring range 3	1 mm/s (Sensitivity 10.0 V/mm/s)
Power supply	11...27VDC
Power consumption	1 Watt
Operating temperature	-20°C...60°C
Dimensions (W x H x D)	150 x 68 x 125 mm
Weight	1.6 kg
Case	IP65

Links/Downloads



This Document as Web Document

Link: <http://www.walesch.ch/index.php?segment=vibras&product=mst1031>



Datasheet MST 1031

Link: http://www.walesch.ch/vibras/mst1031/downloads/TD_100_10_1E.pdf

Contact

Address

WALESCH Electronic GmbH
Gestenrietstrasse 2
CH 8307 Effretikon
+41 52 343 80 80
info@walesch.ch

Subject to modifications and errors

WALESCH Electronic GmbH, Gestenrietstrasse 2, CH-8307 Effretikon, Switzerland,
Phone +41 52 343 80 80, Mail: info@walesch.ch, Web: www.walesch.ch